

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: JANUARY

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0.0	0.0	0.0	0.0	0.0	0.0	0.5	19.4
01	0.0	0.0	0.0	0.0	0.0	0.0	0.5	13.3
02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4
03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5
04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8
05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8
06	0.0	0.0	0.0	0.0	0.0	0.5	0.0	7.4
07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3
08	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.9
09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8
10	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.5
11	0.0	0.0	0.0	0.0	0.0	0.0	0.5	11.1
12	0.0	0.0	0.0	0.0	0.0	0.5	0.9	14.3
13	0.0	0.0	0.0	0.0	0.0	0.5	0.9	16.1
14	0.0	0.0	0.0	0.0	0.0	0.0	2.3	15.7
15	0.0	0.0	0.0	0.0	0.0	0.0	0.5	16.1
16	0.0	0.0	0.0	0.0	0.9	0.0	0.0	14.3
17	0.0	0.0	0.0	0.0	0.0	0.0	0.9	14.7
18	0.0	0.0	0.0	0.0	0.0	0.0	0.9	13.4
19	0.0	0.0	0.0	0.0	0.5	0.0	0.9	13.4
20	0.0	0.0	0.0	0.0	0.0	0.0	0.5	15.7
21	0.0	0.0	0.0	0.0	0.0	0.0	0.5	17.5
22	0.0	0.0	0.0	0.0	0.0	0.0	0.5	16.2
23	0.0	0.0	0.0	0.0	0.0	0.0	0.5	18.0
MEAN	0.0	0.0	0.0	0.0	0.1	0.1	0.6	12.4

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: FEBRUARY

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0	0	0	0	0	0	0	11
01	0	0	0	0	0	0	0	9
02	0	0	0	0	0	0	0	7
03	0	0	0	0	0	0	0	8
04	0	0	0	0	0	0	0	5
05	0	0	0	0	0	0	0	4
06	0	0	0	0	0	0	0	5
07	0	0	0	0	0	0	0	6
08	0	0	0	0	0	0	0	4
09	0	0	0	0	0	0	0	4
10	0	0	0	0	0	0	0	4
11	0	0	0	0	0	0	0	7
12	0	0	0	0	0	0	1	11
13	0	0	0	0	0	0	0	12
14	0	0	0	0	0	0	0	9
15	0	0	0	0	0	0	0	9
16	0	0	0	0	0	0	0	9
17	0	0	0	0	0	0	0	8
18	0	0	0	0	0	0	0	9
19	0	0	0	0	0	0	0	10
20	0	0	0	0	0	0	0	9
21	0	0	0	0	0	0	0	9
22	0	0	0	0	0	0	0	9
23	0	0	0	0	0	0	0	8
MEAN	0	0	0	0	0.0	0.0	0.1	7.7

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: MARCH

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0	0	0	0	0	0	1	19
01	0	0	0	0	0	0	1	15
02	0	0	0	0	0	0	1	13
03	0	0	0	0	0	0	0	12
04	0	0	0	0	0	0	0	12
05	0	0	0	0	0	0	0	11
06	0	0	0	0	0	0	0	10
07	0	0	0	0	0	0	0	11
08	0	0	0	0	0	0	0	11
09	0	0	0	0	0	0	0	11
10	0	0	0	0	0	0	0	12
11	0	0	0	0	0	0	0	13
12	0	0	0	0	0	0	0	16
13	0	0	0	0	0	0	0	15
14	0	0	0	0	0	0	0	13
15	0	0	0	0	0	0	0	14
16	0	0	0	0	0	0	0	13
17	0	0	0	0	0	0	0	15
18	0	0	0	0	0	0	0	14
19	0	0	0	0	0	0	0	11
20	0	0	0	0	0	0	0	12
21	0	0	0	0	0	0	0	13
22	0	0	0	0	0	0	0	12
23	0	0	0	0	0	0	0	11
MEAN	0	0	0	0	0.0	0.0	0.3	12.8

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: APRIL

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0.0	0.0	0.0	0.0	0.5	0.0	0.5	8.1
01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6
02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
03	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.8
04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3
05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7
06	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7.1
07	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.8
08	0.0	0.0	0.0	0.0	0.0	1.0	0.0	5.7
09	0.0	0.0	0.0	0.0	0.0	0.5	0.0	5.2
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
11	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8.1
12	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.6
13	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7.1
14	0.0	0.0	0.0	0.0	0.0	0.5	0.5	8.1
15	0.0	0.0	0.0	0.0	0.0	0.5	0.0	7.1
16	0.0	0.0	0.0	0.0	0.0	0.0	0.5	9.1
17	0.0	0.0	0.0	0.0	0.0	0.5	0.0	7.1
18	0.0	0.0	0.0	0.0	0.5	0.0	0.0	9.0
19	0.0	0.0	0.0	0.0	0.0	0.0	1.0	8.6
20	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7.1
21	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8.1
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7
MEAN	0.0	0.0	0.0	0.0	0.0	0.1	0.3	6.8

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: MAY

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0	0	0	0	0	0	1	8
01	0	0	0	0	0	0	1	7
02	0	0	0	0	0	0	0	11
03	0	0	0	0	0	1	0	8
04	0	0	0	0	0	0	1	7
05	0	0	0	0	0	1	0	8
06	0	0	0	0	0	0	0	9
07	0	0	0	0	0	0	2	10
08	0	0	0	0	1	0	0	9
09	0	0	0	0	0	0	1	6
10	0	0	0	0	0	1	1	6
11	0	0	0	0	0	0	0	9
12	0	0	0	0	0	1	0	9
13	0	0	0	0	0	0	1	14
14	0	0	0	0	0	0	1	12
15	0	0	0	0	0	0	1	10
16	0	0	0	0	0	0	1	9
17	0	0	0	0	0	0	2	7
18	0	0	0	0	0	0	1	11
19	0	0	0	0	0	1	1	12
20	0	0	0	0	0	0	0	11
21	0	0	0	0	0	0	2	11
22	0	0	0	0	0	1	2	10
23	0	0	0	0	0	0	2	7
MEAN	0	0	0	0	0.2	0.4	0.9	9.2

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: JUNE

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0.0	0.0	0.0	0.0	0.0	0.8	0.8	14.1
01	0.0	0.0	0.0	0.0	0.0	1.3	1.3	11.7
02	0.0	0.0	0.0	0.0	0.4	1.3	0.8	8.8
03	0.0	0.0	0.0	0.0	0.4	0.8	1.7	9.2
04	0.0	0.0	0.0	0.0	0.4	0.8	1.3	7.1
05	0.0	0.0	0.0	0.0	0.8	0.8	1.3	8.3
06	0.0	0.0	0.0	0.0	0.4	1.7	1.3	8.3
07	0.0	0.0	0.0	0.0	0.0	0.4	4.2	7.1
08	0.0	0.0	0.0	0.0	0.8	1.3	1.3	7.9
09	0.0	0.0	0.0	0.0	1.3	0.4	0.8	12.6
10	0.0	0.0	0.4	0.0	0.0	0.4	0.8	10.8
11	0.0	0.0	0.0	0.0	0.0	0.0	1.7	12.1
12	0.0	0.0	0.0	0.0	0.0	0.0	3.3	12.1
13	0.0	0.0	0.0	0.0	0.0	0.4	1.7	10.4
14	0.0	0.0	0.0	0.0	0.0	0.4	0.8	10.8
15	0.0	0.0	0.0	0.0	0.0	0.4	0.8	9.6
16	0.0	0.0	0.0	0.0	0.0	0.4	0.8	10.4
17	0.0	0.0	0.0	0.0	0.0	0.0	1.3	10.8
18	0.0	0.0	0.0	0.0	0.0	0.0	0.8	10.9
19	0.0	0.0	0.0	0.0	0.0	0.4	0.8	10.4
20	0.0	0.0	0.0	0.0	0.0	0.4	0.8	11.3
21	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10.8
22	0.0	0.0	0.0	0.0	0.0	0.0	0.8	9.2
23	0.0	0.0	0.0	0.0	1.3	0.8	1.3	10.4
MEAN	0.0	0.0	0.0	0.0	0.2	0.6	1.3	10.2

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: JULY

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0	0	0	0	0	0	1	17
01	0	0	0	0	0	1	1	13
02	0	0	0	0	0	0	0	15
03	0	0	0	0	0	0	0	13
04	0	0	0	0	0	1	0	11
05	0	0	0	0	0	0	1	10
06	0	0	0	0	0	0	1	10
07	0	0	0	0	0	0	3	11
08	0	0	0	0	0	0	1	12
09	0	0	0	0	0	1	1	15
10	0	0	0	0	0	0	2	15
11	0	0	0	0	0	0	0	14
12	0	0	0	0	0	0	0	16
13	0	0	0	0	0	0	0	17
14	0	0	0	0	0	0	0	17
15	0	0	0	0	0	0	0	18
16	0	0	0	0	1	0	0	18
17	0	0	0	0	0	0	0	19
18	0	0	0	0	0	0	0	19
19	0	0	0	0	0	0	1	17
20	0	0	0	0	0	1	0	19
21	0	0	0	0	0	0	2	20
22	0	0	0	0	0	0	2	19
23	0	0	0	0	0	0	2	19
MEAN	0	0	0	0	0.1	0.4	0.9	15.6

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: AUGUST

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0.0	0.0	0.0	0.0	0.0	0.9	2.8	17.2
01	0.0	0.0	0.0	0.0	0.5	1.8	1.4	14.8
02	0.0	0.0	0.0	0.0	0.5	0.0	2.8	13.9
03	0.0	0.0	0.0	0.0	0.5	0.9	3.7	13.9
04	0.0	0.0	0.0	0.0	1.4	2.8	2.3	11.6
05	0.0	0.0	0.0	0.0	0.5	0.5	1.9	14.3
06	0.0	0.0	0.0	0.0	0.5	0.0	2.3	14.9
07	0.0	0.0	0.0	0.5	0.0	0.0	2.3	14.4
08	0.0	0.0	0.0	0.0	0.9	0.0	1.8	14.8
09	0.0	0.0	0.0	0.0	0.5	0.0	1.8	16.2
10	0.0	0.0	0.0	0.0	0.0	0.5	1.8	14.8
11	0.0	0.0	0.0	0.0	0.0	0.9	2.3	13.4
12	0.0	0.0	0.0	0.0	0.0	0.5	2.8	16.0
13	0.0	0.0	0.0	0.0	0.0	0.0	1.4	20.9
14	0.0	0.0	0.0	0.0	0.0	0.5	1.4	21.8
15	0.0	0.0	0.0	0.0	0.0	1.4	1.4	18.6
16	0.0	0.0	0.0	0.0	0.0	0.5	0.9	18.6
17	0.0	0.0	0.0	0.0	0.0	0.0	1.4	20.9
18	0.0	0.0	0.0	0.0	0.5	0.5	2.3	20.0
19	0.0	0.0	0.0	0.0	0.0	0.9	1.8	19.5
20	0.0	0.0	0.0	0.0	0.0	0.5	1.9	20.9
21	0.0	0.0	0.0	0.0	0.0	1.0	2.8	21.4
22	0.0	0.0	0.0	0.0	0.0	0.9	2.8	19.0
23	0.0	0.0	0.0	0.0	0.0	0.9	2.8	24.3
MEAN	0.0	0.0	0.0	0.0	0.2	0.7	2.1	17.5

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: SEPTEMBER

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0.0	0.0	0.0	0.0	1.0	0.5	5.2	21.9
01	0.0	0.0	0.0	0.0	0.0	0.5	4.8	20.0
02	0.0	0.0	0.0	0.0	0.0	1.4	6.7	10.5
03	0.0	0.0	0.0	0.0	0.0	1.4	4.8	13.0
04	0.0	0.0	0.0	0.0	0.0	3.3	3.8	13.3
05	0.0	0.0	0.0	0.0	0.0	1.0	3.8	15.2
06	0.0	0.0	0.0	0.0	0.0	1.0	5.2	15.7
07	0.0	0.0	0.0	0.0	0.5	1.0	4.8	12.4
08	0.0	0.0	0.0	0.0	1.0	0.0	5.7	11.9
09	0.0	0.0	0.0	0.0	0.5	1.0	2.9	14.3
10	0.0	0.0	0.0	0.0	0.5	2.4	6.7	14.0
11	0.0	0.0	0.0	0.0	0.0	0.0	7.1	16.7
12	0.0	0.0	0.0	0.0	0.0	1.9	3.8	17.1
13	0.0	0.0	0.0	0.0	0.5	1.0	4.3	16.2
14	0.0	0.0	0.0	0.0	0.0	0.5	5.2	18.1
15	0.0	0.0	0.0	0.0	0.0	0.0	5.2	20.9
16	0.0	0.0	0.0	0.0	0.0	0.0	2.9	24.2
17	0.0	0.0	0.0	0.0	0.0	0.0	4.3	23.8
18	0.0	0.0	0.0	0.0	0.0	0.0	3.8	25.2
19	0.0	0.0	0.0	0.0	0.0	1.0	4.3	23.3
20	0.0	0.0	0.0	0.0	0.5	0.5	2.9	26.1
21	0.0	0.0	0.0	0.0	0.0	1.4	3.8	24.3
22	0.0	0.0	0.0	0.0	0.0	1.0	3.3	19.5
23	0.0	0.0	0.0	0.0	0.0	0.5	2.9	24.7
MEAN	0.0	0.0	0.0	0.0	0.2	0.9	4.5	18.4

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

77.8

102

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: OCTOBER

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0.0	0.0	0.0	0.0	0.9	1.8	5.0	21.4
01	0.0	0.0	0.0	0.0	0.5	1.4	3.2	19.7
02	0.0	0.0	0.0	0.0	1.4	0.9	1.8	17.9
03	0.0	0.0	0.0	0.0	0.5	0.5	3.2	16.6
04	0.0	0.0	0.0	0.0	0.5	0.5	1.8	16.7
05	0.0	0.0	0.0	0.0	0.5	0.9	2.8	16.6
06	0.0	0.0	0.0	0.0	0.5	1.4	1.8	15.6
07	0.0	0.0	0.0	0.0	0.9	0.0	3.7	13.8
08	0.0	0.0	0.0	0.0	0.5	0.0	5.1	15.2
09	0.0	0.0	0.0	0.0	0.5	0.5	3.7	14.8
10	0.0	0.0	0.0	0.0	1.4	1.4	2.3	13.9
11	0.0	0.0	0.0	0.0	0.5	2.3	3.7	18.5
12	0.0	0.0	0.0	0.0	0.0	1.8	1.9	22.2
13	0.0	0.0	0.0	0.0	0.0	1.4	2.8	19.4
14	0.0	0.0	0.0	0.0	0.5	0.9	2.8	22.1
15	0.0	0.0	0.0	0.0	0.0	1.4	1.8	20.2
16	0.0	0.0	0.0	0.0	0.0	1.9	0.9	21.7
17	0.0	0.0	0.0	0.0	0.5	0.9	3.2	21.8
18	0.0	0.0	0.0	0.0	0.0	1.4	1.8	21.5
19	0.0	0.0	0.0	0.0	0.5	0.9	1.4	20.0
20	0.0	0.0	0.0	0.0	0.9	0.5	2.3	23.5
21	0.0	0.0	0.0	0.0	0.9	1.8	3.7	20.0
22	0.0	0.0	0.0	0.0	0.5	2.4	2.3	21.7
23	0.0	0.0	0.0	0.0	0.5	2.8	2.3	19.7
MEAN	0.0	0.0	0.0	0.0	0.5	1.2	2.7	18.9

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: **VTSP, Phuket Airport (Thailand)** MONTH: **NOVEMBER** PERIOD OF RECORD: **2014-2020**

TOTAL NUMBER OF OBSERVATIONS : **1** OBSERVING TIME: **7 YEARS**

LATITUDE: **8.10 N.** LONGITUDE **98.30 E.** ELEVATION ABOVE MSL: **6 M**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0.0	0.0	0.0	0.0	0.0	0.0	1.0	6.2
01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7
02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
03	0.0	0.0	0.0	0.0	0.0	0.5	0.0	4.3
04	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.9
05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9
06	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.9
07	0.0	0.0	0.0	0.0	0.0	1.4	0.5	2.9
08	0.0	0.0	0.5	0.0	0.5	0.5	1.0	4.7
09	0.0	0.0	0.0	0.0	0.0	0.5	2.4	5.3
10	0.0	0.0	0.5	0.0	0.5	1.0	1.4	5.3
11	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.2
12	0.0	0.0	0.0	0.0	0.5	0.5	2.4	14.6
13	0.0	0.0	0.0	0.0	0.0	0.0	0.5	13.2
14	0.0	0.0	0.0	0.0	0.0	0.5	0.5	11.8
15	0.0	0.0	0.0	0.0	0.0	0.0	0.5	11.3
16	0.0	0.0	0.0	0.0	0.0	0.0	1.0	10.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.4
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.1
21	0.0	0.0	0.0	0.0	0.0	0.5	0.0	11.6
22	0.0	0.0	0.0	0.0	0.0	0.0	0.5	10.2
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4
MEAN	0.0	0.0	0.0	0.0	0.1	0.2	0.6	8.2

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: DECEMBER

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0.0	0.0	0.0	0.0	0.5	0.0	0.0	10.4
01	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7.4
02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8
03	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.5
04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5
05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4
06	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.6
07	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5.1
08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5
09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7
11	0.0	0.0	0.0	0.0	0.5	0.9	1.4	8.8
12	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.3
13	0.0	0.0	0.0	0.0	0.0	0.5	1.4	10.6
14	0.0	0.0	0.0	0.0	0.0	0.0	0.9	8.8
15	0.0	0.0	0.0	0.0	0.0	0.5	1.9	6.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9
17	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7.8
18	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7.8
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4
MEAN	0.0	0.0	0.0	0.0	0.0	0.1	0.4	7.6

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.

AERODROME CLIMATOLOGICAL SUMMARY

MODEL B

TABULAR FORM

AERODROME: VTSP, Phuket Airport (Thailand)

MONTH: JANUARY

PERIOD OF RECORD: 2014-2020

TOTAL NUMBER OF OBSERVATIONS : 1

OBSERVING TIME: 7 YEARS

LATITUDE: 8.10 N. LONGITUDE 98.30 E.

ELEVATION ABOVE MSL: 6 M

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METRES) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY							
	< 200	< 400	< 600	< 800	< 1 500	< 3 000	< 5 000	< 8 000
00	0.0	0.0	0.0	0.0	0.0	0.0	0.5	19.4
01	0.0	0.0	0.0	0.0	0.0	0.0	0.5	13.3
02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4
03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5
04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8
05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8
06	0.0	0.0	0.0	0.0	0.0	0.5	0.0	7.4
07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3
08	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.9
09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8
10	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.5
11	0.0	0.0	0.0	0.0	0.0	0.0	0.5	11.1
12	0.0	0.0	0.0	0.0	0.0	0.5	0.9	14.3
13	0.0	0.0	0.0	0.0	0.0	0.5	0.9	16.1
14	0.0	0.0	0.0	0.0	0.0	0.0	2.3	15.7
15	0.0	0.0	0.0	0.0	0.0	0.0	0.5	16.1
16	0.0	0.0	0.0	0.0	0.9	0.0	0.0	14.3
17	0.0	0.0	0.0	0.0	0.0	0.0	0.9	14.7
18	0.0	0.0	0.0	0.0	0.0	0.0	0.9	13.4
19	0.0	0.0	0.0	0.0	0.5	0.0	0.9	13.4
20	0.0	0.0	0.0	0.0	0.0	0.0	0.5	15.7
21	0.0	0.0	0.0	0.0	0.0	0.0	0.5	17.5
22	0.0	0.0	0.0	0.0	0.0	0.0	0.5	16.2
23	0.0	0.0	0.0	0.0	0.0	0.0	0.5	18.0
MEAN	0.0	0.0	0.0	0.0	0.1	0.1	0.6	12.4

87.0

100

Note: Frequencies at three-hourly intervals may suffice to describe the main climatological features.